Available online at www.sciencedirect.com
SCIENCE DIRECT®
Journal of Organometallic Chemistry 663 (2002) 297–298
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Author Index of Volume 663

Abrisqueta, M.D., 40
Adams, H., 145
Alberdi, G., 239
Albert, J., 277
Alvarez-Falcón, M.M., 40
Amoedo, A., 239
Aneetha, H., 151
Angeles Paz-Sandoval, M., 127
Ara, I., 284
Arcas, A., 164

Barberá, G., 221
Bautista, D., 164
Berke, H., 192
Blacque, O., 192
Bochmann, M., 63
Botella, L., 46
Brintzinger, H.-H., 58, 213
Buchalski, P., 249

Caballero, A., 118
Cabeza, J.A., 227
Cadierno, V., 32
Carroll, P.J., 70
Casey, C.P., 91
Castarlenas, R., 235
Castro, A., 145
Cauzzi, D., 256
Cerrada, E., 289
Chicote, M.T., 40
Ciruelos, S., 183
Crochet, P., 32
Císařová, I., 134
Cuenca, T., 1, 173

Davis, T.J., 70
de la Cruz, R., 108
del Río, I., 227
Demonceau, A., 235
Dixneuf, P.H., 235
Doppiu, A., 183

Englert, U., 183
Erker, G., 192
Espinet, P., 108
Esther Sánchez-Castro, M., 127

Fagan, M.A., 91
Falvello, L.R., 284
Fejfarová, K., 134
Fernández, A., 239
Fernandez, E.J., 289
Fokken, S., 158
Font-Bardia, M., 277
Forniés, J., 284

Fröhlich, R., 192

Galindo, A., 83
Gallego, A.M., 108
Gao, G., 13
García-Álvarez, J., 32
García-Garrido, S.E., 32
García-Granda, S., 227
Gimen, J., 32
Gimeno, J., 204
Gómez, I., 21
Gomez-Cordón, J., 284
González, A., 277
Gordillo-Román, B., 127
Graiff, C., 204, 256
Graña, M., 239
Granell, J., 277
Gyepes, R., 134

Herdtweck, E., 173
Hernández-Martínez, J., 127
Hitchcock, P.B., 263
Horáček, M., 134
Hughes, D.L., 63
Hüttenhofer, M., 58

Jalón, F.A., 118
Jiménez Tenorio, M., 151
Juárez-Saavedra, P., 127

Kehr, G., 192
Khvostov, A.V., 263
Kotora, M., 13
Kubišta, J., 134

Laguna, M., 289
Laguna, A., 289
Lalinde, E., 284
Lappert, M.F., 263
Lara-Sanchez, A., 63
Lastra, E., 204
Lipkowski, J., 249
Llanos, J.M., 98
López-Torres, M., 239
Lukešová, L., 134

Mach, K., 134
Madrigal, C., 204
Magali Cadena, J., 277
Maitlis, P.M., 145
Mann, B.E., 145
Manzano, B.R., 118
Marazzi, M., 256
Martín-Alvarez, J.M., 108
Martínez-Ilarduya, J.M., 108

Martínez-Méndez, L., 227
Mashima, K., 5
Mendía, A., 289
Merino, R.I., 284

Nájera, C., 46
Nakamura, A., 5
Niehues, M., 192
Noels, A.F., 235

Okuda, J., 158
Ortigueira, J.M., 239

Papai, I., 83
Pasynkiewicz, S., 249
Pereira, T., 239
Pietrzykowski, A., 249
Poli, R., 269
Predieri, G., 256
Puerta, M.C., 151

Ramón, D.J., 21
Ramírez de Arellano, M.C., 164
Réau, R., 118
Reichwald, F., 158
Richard, P., 269
Riera, V., 227
Río, D., 83
Rodríguez, A., 63
Román Torres-Lubián, J., 127
Romão, C.C., 78
Rosair, G.M., 221
Royo, E., 213
Royo, B., 78

Salzer, A., 183
Sauthier, M., 118
Schormann, M., 63
Schubert, G., 83
Séméril, D., 235
Solans, X., 277
Spaniol, T.P., 158
Štěpnička, P., 134
Stoffelbach, F., 269

Tabernero, V., 173
Takahashi, T., 13
Teixidor, F., 221
Tiripicchio, A., 204, 256
Toupet, L., 118
Tunge, J.A., 91
Turner, M.L., 145

Usón, I., 284
Usón, M.A., 98

Elsevier Science B.V.
PII: S0022-328X(02)02058-2

Valerga, P., 151
Vicente, J., 1, 40, 164
Vila, J.M., 239
Viñas, C., 221

Walsh, P.J., 70
Weeber, A., 58
Welch, A.J., 221
Wibbeling, B., 192

Xi, Z., 13

Yus, M., 21

Available online at www.sciencedirect.com
SCIENCE DIRECT
Journal of Organometallic Chemistry 663 (2002) 299–303
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Subject Index of Volume 663

Acetate
Mono-indenyl and cyclopentadienyl derivatives of molybdenum(IV) with a 16 valence-electron configuration, 78
Acetylacetonate
Mono-indenyl and cyclopentadienyl derivatives of molybdenum(IV) with a 16 valence-electron configuration, 78
Adaptable coordination modes
Adaptable coordination modes of conjugated 1,3-diene: uniqueness of *s-trans* coordination, 5
Alkali metals
The activation of C–H bonds in internal alkenes and dienes by {NiCp} species formed in the reaction of nickelocene with alkali metals, 249
Alkene activation
The activation of C–H bonds in internal alkenes and dienes by {NiCp} species formed in the reaction of nickelocene with alkali metals, 249
Alkene polymerization
Why propene is not polymerized by $(Cp^*_2YH)_2$: reactions of yttrium alkyl complexes with alkenes produce allyl and vinyl yttrium complexes, 91
Alkyl complexes
Dialkyl titanium complexes that contain a sulfur-linked bis(phenolato) ligand: The structure of an olefin polymerization catalyst precursor, 158
Alkyls
Synthesis and structures of crystalline bis(trimethylsilyl)methanido complexes of potassium, calcium and ytterbium, 263
Allenylidene
Allenylidene-ruthenium-arene precatalyst for ring opening metathesis polymerisation (ROMP), 235
Allyl complex
Why propene is not polymerized by $(Cp^*_2YH)_2$: reactions of yttrium alkyl complexes with alkenes produce allyl and vinyl yttrium complexes, 91
Amidine
Mono-indenyl and cyclopentadienyl derivatives of molybdenum(IV) with a 16 valence-electron configuration, 78
Amino acid
Cyclopalladation of Schiff bases from phenylalanine and 2-phenylglicine, 277
Anionic
The first anionic arenediethynylgold(I) complexes, 40
ansa-Zirconocene
Mechanisms of Sn-to-Zr cyclopentadienyl transfer in the formation of Me_2Si-bridged zirconocenes from sila-stanna-tetrahydro-s-indacenes, 58
Arduengo carbenes
Structural characterization of Group 4 transition metal halide bis-Arduengo carbene complexes MCl_4L_2: X-ray crystal structure analyses and DFT calculations, 192
Arenediethynyl
The first anionic arenediethynylgold(I) complexes, 40
(η^6-Arene)-ruthenium(II) complexes
Neutral and cationic (η^6-arene)-ruthenium(II) complexes containing the iminophosphorane–phosphine ligand $Ph_2PCH_2P(=N\text{-}p\text{-}C_5F_4N)Ph_2$: influence of the arene ring in catalytic transfer hydrogenation of cyclohexanone, 32
Arsine
Ruthenium hydrides bearing $SbPh_3$ and $AsPh_3$ ligands: characterization of the bis(dihydrogen) complexes $[Cp^*Ru(H_2)_2(EPh_3)]^+$ ($Cp^* = C_5Me_5$; E = Sb, As), 151
Aryl transfer
Four- five- and six-co-ordinated pentafluorophenylthallium(III) complexes. Crystal structures of $[Tl(C_6F_5)_3(OPPh_3)]$, $[Tl(C_6F_5)_2Cl(OPPh_3)]_2$ and $[Tl(C_6F_5)_2(OdppmO)_2][Tl(C_6F_5)_2Cl_2]$, 289
Axial chirality
Synthesis and X-ray structures of (biphenoxide)Ti species: four and five coordinate complexes that crystallize as mixtures of diastereomers, 70

Bent titanocenes
Synthesis and crystal structures of thermally stable titanocenes, 134
B-H-M agostic bond
Synthesis and characterisation of the *exo-nido* molybdacarborane complex $Mo(\eta\text{-}C_5H_5)(CO)_2(7,8\text{-}\mu\text{-}SCH_2CH_2S\text{-}7,8\text{-}nido\text{-}C_2B_9H_{10})$. Strong B–H–Mo 3-centre bonding, 221
Biphenol
Synthesis and X-ray structures of (biphenoxide)Ti species: four and five coordinate complexes that crystallize as mixtures of diastereomers, 70
Borneol
Synthesis and X-ray structures of (biphenoxide)Ti species: four and five coordinate complexes that crystallize as mixtures of diastereomers, 70
Boronic acids
Cross-coupling reactions with boronic acids in water catalysed by oxime-derived palladacycles, 46

Calcium
Synthesis and structures of crystalline bis(trimethylsilyl)methanido complexes of potassium, calcium and ytterbium, 263
Carbon–carbon bond formation
Proton induced coupling reactions in dinuclear σ-alkynyl-μ-methylene-rhodium complexes, 145
Carbonyl substitution reactions
Carbonyl substitution chemistry of neutral and cationic triruthenium cluster complexes derived from 1,1-dimethylhydrazine. Incorporation of two and three phosphane ligands, 227
Catalytic transfer hydrogenation
Neutral and cationic (η^6-arene)-ruthenium(II) complexes containing the iminophosphorane–phosphine ligand $Ph_2PCH_2P(=N\text{-}p\text{-}C_5F_4N)Ph_2$: influence of the arene ring in catalytic transfer hydrogenation of cyclohexanone, 32
C–H bond activation
The activation of C–H bonds in internal alkenes and dienes by {NiCp} species formed in the reaction of nickelocene with alkali metals, 249

Elsevier Science B.V.
PII: S0022-328X(02)02056-9

Chelate complexes
Synthesis, structure and catalytic activity of new iminophenolato complexes of scandium and yttrium, 63
Chiral ligand
New ruthenium(II) complexes containing the chiral ligand (4*S*)-2-[(*S*$_p$)-2-(diphenylphosphino)ferrocenyl]-4-(methylethyl)oxazoline (FcPN). X-ray structures of *mer*–*trans*-[RuCl$_2$(dppm)(FcPN)] (dppm = bis(diphenylphosphino)methane) and *cis*-[RuCl$_2$(CO)(py)(FcPN)], 204
Clusters
The activation of C–H bonds in internal alkenes and dienes by {NiCp} species formed in the reaction of nickelocene with alkali metals, 249
Conjugated 1,3-diene
Adaptable coordination modes of conjugated 1,3-diene: uniqueness of *s-trans* coordination, 5
Constrained-geometry
New optically active 'constrained-geometry' cyclopentadienylphosphine ligands and their metal complexes, 183
Controlled radical polymerization
Half-sandwich molybdenum(III) compounds containing diazadiene ligands and their use in the controlled radical polymerization of styrene, 269
Cp*RuCl(PPh$_3$)$_2$
Reaction of Cp*RuCl(PPh$_3$)$_2$ with dioxygen and formation of a neutral complex Cp*RuCl(O$_2$)(PPh$_3$), 127
Cross-coupling reactions
Cross-coupling reactions with boronic acids in water catalysed by oxime-derived palladacycles, 46
Crystal and molecular structures
C–Br versus C–H bond activation in palladium(II) cyclopalladated compounds. Crystal and molecular structure of [Pd{C$_6$H$_4$C(H)=NCy}(MeCOCHCOMe)], 239
Crystal structures
Carbonyl substitution chemistry of neutral and cationic triruthenium cluster complexes derived from 1,1-dimethylhydrazine. Incorporation of two and three phosphane ligands, 227
Four- five- and six-co-ordinated pentafluorophenylthallium(III) complexes. Crystal structures of [Tl(C$_6$F$_5$)$_3$(OPPh$_3$)], [Tl(C$_6$F$_5$)$_2$Cl(OPPh$_3$)]$_2$ and [Tl(C$_6$F$_5$)$_2$(OdppmO)$_2$][Tl(C$_6$F$_5$)$_2$Cl$_2$], 289
Synthesis of Group 10 polyfluorothiolate mono- and bi-nuclear complexes. Crystal structures of [Ni(SC$_6$HF$_4$)$_2$(dppe)], [(dppe)Ni(μ-SC$_6$HF$_4$)$_2$Pd(C$_6$F$_5$)$_2$] and [(dppe)Ni(μ-SC$_6$F$_5$)$_2$Pd(C$_6$F$_5$)$_2$], 98
Cyclic olefins
Allenylidene-ruthenium-arene precatalyst for ring opening metathesis polymerisation (ROMP), 235
Cyclometallation
Cyclopalladation of Schiff bases from phenylalanine and 2-phenylglicine, 277
Cyclopentadienyl
Half-sandwich molybdenum(III) compounds containing diazadiene ligands and their use in the controlled radical polymerization of styrene, 269
Mono-indenyl and cyclopentadienyl derivatives of molybdenum(IV) with a 16 valence-electron configuration, 78
The activation of C–H bonds in internal alkenes and dienes by {NiCp} species formed in the reaction of nickelocene with alkali metals, 249
Cyclopentadienyl-amido
Hydrazonide titanium derivatives: Synthesis, characterization and catalytic activity in olefin polymerization. Molecular structure of [Ti(η^5-C$_5$H$_4$SiMe$_3$)Cl(μ-N$_2$CPh$_2$)]$_2$, 173
Cyclopentadienyl-phosphine ligands
New optically active 'constrained-geometry' cyclopentadienylphosphine ligands and their metal complexes, 183
Deprotonation
Synthesis and characterisation of the *exo-nido* molybdacarborane complex Mo(η-C$_3$H$_5$)(CO)$_2$(7,8-μ-SCH$_2$CH$_2$S-7,8-*nido*-C$_2$B$_9$H$_{10}$). Strong B–H–Mo 3-centre bonding, 221
DFT calculation
Structural characterization of Group 4 transition metal halide bis-Arduengo carbene complexes MCl$_4$L$_2$: X-ray crystal structure analyses and DFT calculations, 192
DFT calculations
Theoretical analysis of bis(ethylene) complexes of molybdenum and tungsten, 83
Diastereomeric structures
Synthesis and X-ray structures of (biphenoxide)Ti species: four and five coordinate complexes that crystallize as mixtures of diastereomers, 70
Diazadiene ligands
Half-sandwich molybdenum(III) compounds containing diazadiene ligands and their use in the controlled radical polymerization of styrene, 269
Dihydrogen complexes
Ruthenium hydrides bearing SbPh$_3$ and AsPh$_3$ ligands: characterization of the bis(dihydrogen) complexes [Cp*Ru(H$_2$)$_2$(EPh$_3$)]$^+$ (Cp* = C$_5$Me$_5$; E = Sb, As), 151
Dimethylcyclopentenes
Zirconocene mediated cyclization and isomerization of 1,3,6-heptatriene, 13
1,1-Dimethylhydrazine
Carbonyl substitution chemistry of neutral and cationic triruthenium cluster complexes derived from 1,1-dimethylhydrazine. Incorporation of two and three phosphane ligands, 227
Dioxygen
Reaction of Cp*RuCl(PPh$_3$)$_2$ with dioxygen and formation of a neutral complex Cp*RuCl(O$_2$)(PPh$_3$), 127
Dithiocarbamate
Mono-indenyl and cyclopentadienyl derivatives of molybdenum(IV) with a 16 valence-electron configuration, 78
Dithiophosphate
Mono-indenyl and cyclopentadienyl derivatives of molybdenum(IV) with a 16 valence-electron configuration, 78
d^0-Metal complexes
Structural characterization of Group 4 transition metal halide bis-Arduengo carbene complexes MCl$_4$L$_2$: X-ray crystal structure analyses and DFT calculations, 192

Ethene polymerization
Structural characterization of Group 4 transition metal halide bis-Arduengo carbene complexes MCl$_4$L$_2$: X-ray crystal structure analyses and DFT calculations, 192
Ethylene complexes
Theoretical analysis of bis(ethylene) complexes of molybdenum and tungsten, 83

Ferrocenyloxazoline
New ruthenium(II) complexes containing the chiral ligand (4*S*)-2-[(*S*$_p$)-2-(diphenylphosphino)ferrocenyl]-4-(methylethyl)oxazoline (FcPN). X-ray structures of *mer*–*trans*-[RuCl$_2$(dppm)(FcPN)] (dppm = bis(diphenylphosphino)methane) and *cis*-[RuCl$_2$(CO)(py)(FcPN)], 204
Ferrocenylphosphine
New ruthenium(II) complexes containing the chiral ligand (4*S*)-2-[(*S*$_p$)-2-(diphenylphosphino)ferrocenyl]-4-(methylethyl)oxazoline (FcPN). X-ray structures of *mer*–*trans*-[RuCl$_2$(dppm)(FcPN)] (dppm = bis(diphenylphosphino)methane) and *cis*-[RuCl$_2$(CO)(py)(FcPN)], 204
Fluxionality
Structural and dynamic studies in solution of anionic dinuclear azolato-bridged palladium(II) complexes, 108

Gold(I)
The first anionic arenediethynylgold(I) complexes, 40
Group 10
Synthesis of Group 10 polyfluorothiolate mono- and bi-nuclear complexes. Crystal structures of $[Ni(SC_6HF_4)_2(dppe)]$, $[(dppe)Ni(\mu\text{-}SC_6HF_4)_2Pd(C_6F_5)_2]$ and $[(dppe)Ni(\mu\text{-}SC_6F_5)_2Pd(C_6F_5)_2]$, 98

Hemilabile ligands
Neutral and cationic (η^6-arene)-ruthenium(II) complexes containing the iminophosphorane–phosphine ligand $Ph_2PCH_2P(=N\text{-}p\text{-}C_6F_4N)Ph_2$: influence of the arene ring in catalytic transfer hydrogenation of cyclohexanone, 32
1,3,6-Heptatriene
Zirconocene mediated cyclization and isomerization of 1,3,6-heptatriene, 13
Homo- and heterobinuclear
Synthesis of Group 10 polyfluorothiolate mono- and bi-nuclear complexes. Crystal structures of $[Ni(SC_6HF_4)_2(dppe)]$, $[(dppe)Ni(\mu\text{-}SC_6HF_4)_2Pd(C_6F_5)_2]$ and $[(dppe)Ni(\mu\text{-}SC_6F_5)_2Pd(C_6F_5)_2]$, 98
Hydrazonide
Hydrazonide titanium derivatives: Synthesis, characterization and catalytic activity in olefin polymerization. Molecular structure of $[Ti(\eta^5\text{-}C_5H_4SiMe_3)Cl(\mu\text{-}N_2CPh_2)]_2$, 173
Hydride complexes
Ruthenium hydrides bearing $SbPh_3$ and $AsPh_3$ ligands: characterization of the bis(dihydrogen) complexes $[Cp^*Ru(H_2)_2(EPh_3)]^+$ ($Cp^* = C_5Me_5$; E = Sb, As), 151
Hydrides
A study of the coordination ability of 2,5-di(2-pyridyl)phospholes on Ru centres, 118

Imines
Cyclopalladation of Schiff bases from phenylalanine and 2-phenylglicine, 277
Iminophosphoranes
Neutral and cationic (η^6-arene)-ruthenium(II) complexes containing the iminophosphorane–phosphine ligand $Ph_2PCH_2P(=N\text{-}p\text{-}C_6F_4N)Ph_2$: influence of the arene ring in catalytic transfer hydrogenation of cyclohexanone, 32
Indazol
Structural and dynamic studies in solution of anionic dinuclear azolato-bridged palladium(II) complexes, 108
Indenyl
Mono-indenyl and cyclopentadienyl derivatives of molybdenum(IV) with a 16 valence-electron configuration, 78
π–π Interactions
Synthesis of Group 10 polyfluorothiolate mono- and bi-nuclear complexes. Crystal structures of $[Ni(SC_6HF_4)_2(dppe)]$, $[(dppe)Ni(\mu\text{-}SC_6HF_4)_2Pd(C_6F_5)_2]$ and $[(dppe)Ni(\mu\text{-}SC_6F_5)_2Pd(C_6F_5)_2]$, 98

Lithiation
Lithiophenylalkyllithiums: new dilithium reagents having both sp^2- and sp^3-hybridised remote carbanionic centres, 21
Lithium compounds
Lithiophenylalkyllithiums: new dilithium reagents having both sp^2- and sp^3-hybridised remote carbanionic centres, 21
Luminescent properties
A luminescent Pt_3Pb cluster with three $Pt(II) \rightarrow Pb(II)$ bonds, 284

MALDI-TOF-MS
Mass spectrometry of polystyrene and polypropene ruthenium complexes. A new tool for polymer characterization, 213

Menthol
Synthesis and X-ray structures of (biphenoxide)Ti species: four and five coordinate complexes that crystallize as mixtures of diastereomers, 70
Metallate(II) anions
Synthesis and structures of crystalline bis(trimethylsilyl)methanido complexes of potassium, calcium and ytterbium, 263
μ-Methylene ligand
Proton induced coupling reactions in dinuclear σ-alkynyl-μ-methylene-rhodium complexes, 145
Molybdacarborane
Synthesis and characterisation of the *exo-nido* molybdacarborane complex $Mo(\eta\text{-}C_5H_5)(CO)_2(7,8\text{-}\mu\text{-}SCH_2CH_2S\text{-}7,8\text{-}nido\text{-}C_2B_9H_{10})$. Strong B–H–Mo 3-centre bonding, 221
Molybdenum
Half-sandwich molybdenum(III) compounds containing diazadiene ligands and their use in the controlled radical polymerization of styrene, 269
Mono-indenyl and cyclopentadienyl derivatives of molybdenum(IV) with a 16 valence-electron configuration, 78
Theoretical analysis of bis(ethylene) complexes of molybdenum and tungsten, 83

Nickel
The activation of C–H bonds in internal alkenes and dienes by {NiCp} species formed in the reaction of nickelocene with alkali metals, 249
nido-carboranylthioethers
Synthesis and characterisation of the *exo-nido* molybdacarborane complex $Mo(\eta\text{-}C_5H_5)(CO)_2(7,8\text{-}\mu\text{-}SCH_2CH_2S\text{-}7,8\text{-}nido\text{-}C_2B_9H_{10})$. Strong B–H–Mo 3-centre bonding, 221

Olefin polymerization
Hydrazonide titanium derivatives: Synthesis, characterization and catalytic activity in olefin polymerization. Molecular structure of $[Ti(\eta^5\text{-}C_5H_4SiMe_3)Cl(\mu\text{-}N_2CPh_2)]_2$, 173
Organolithium
Lithiophenylalkyllithiums: new dilithium reagents having both sp^2- and sp^3-hybridised remote carbanionic centres, 21
Organometallic compounds
Synthesis of Group 10 polyfluorothiolate mono- and bi-nuclear complexes. Crystal structures of $[Ni(SC_6HF_4)_2(dppe)]$, $[(dppe)Ni(\mu\text{-}SC_6HF_4)_2Pd(C_6F_5)_2]$ and $[(dppe)Ni(\mu\text{-}SC_6F_5)_2Pd(C_6F_5)_2]$, 98
Oxime derived palladacycles
Cross-coupling reactions with boronic acids in water catalysed by oxime-derived palladacycles, 46

Palladium
Cyclopalladation of Schiff bases from phenylalanine and 2-phenylglicine, 277
Structural and dynamic studies in solution of anionic dinuclear azolato-bridged palladium(II) complexes, 108
Palladium complexes
Mono- and di-nuclear complexes of *ortho*-palladated and -platinated 4,4′-dimethylazobenzene with bis(diphenylphosphino)methane. More data on *transphobia*, 164
Palladium(II) cyclopalladated compounds
C–Br versus C–H bond activation in palladium(II) cyclopalladated compounds. Crystal and molecular structure of $[Pd\{C_6H_4C(H)=NCy\}(MeCOCHCOMe)]$, 239
Paramagnetic organometallics
Half-sandwich molybdenum(III) compounds containing diazadiene ligands and their use in the controlled radical polymerization of styrene, 269
Pentafluorophenyl complexes
Four- five- and six-co-ordinated pentafluorophenylthallium(III)

complexes. Crystal structures of $[Tl(C_6F_5)_3(OPPh_3)]$, $[Tl(C_6F_5)_2Cl(OPPh_3)]_2$ and $[Tl(C_6F_5)_2(OdppmO)_2][Tl(C_6F_5)_2Cl_2]$, 289

Pentafluorophenyl derivatives
A luminescent Pt_3Pb cluster with three Pt(II) → Pb(II) bonds, 284

Phenolato ligands
Dialkyl titanium complexes that contain a sulfur-linked bis(phenolato) ligand: The structure of an olefin polymerization catalyst precursor, 158

Phosphine oxide
Four- five- and six-co-ordinated pentafluorophenylthallium(III) complexes. Crystal structures of $[Tl(C_6F_5)_3(OPPh_3)]$, $[Tl(C_6F_5)_2Cl(OPPh_3)]_2$ and $[Tl(C_6F_5)_2(OdppmO)_2][Tl(C_6F_5)_2Cl_2]$, 289

Phospholes
A study of the coordination ability of 2,5-di(2-pyridyl)phospholes on Ru centres, 118

Platinum complexes
A luminescent Pt_3Pb cluster with three Pt(II) → Pb(II) bonds, 284
Mono- and di-nuclear complexes of *ortho*-palladated and -platinated 4,4′-dimethylazobenzene with bis(diphenylphosphino)methane. More data on *transphobia*, 164

Polymerisation
Allenylidene-ruthenium-arene precatalyst for ring opening metathesis polymerisation (ROMP), 235

Polymerization catalysts
Dialkyl titanium complexes that contain a sulfur-linked bis(phenolato) ligand: The structure of an olefin polymerization catalyst precursor, 158

Polymer mass distribution
Mass spectrometry of polystyrene and polypropene ruthenium complexes. A new tool for polymer characterization, 213

Polymer modification
Mass spectrometry of polystyrene and polypropene ruthenium complexes. A new tool for polymer characterization, 213

Potassium
Synthesis and structures of crystalline bis(trimethylsilyl)methanido complexes of potassium, calcium and ytterbium, 263

Pt → Pb bonds
A luminescent Pt_3Pb cluster with three Pt(II) → Pb(II) bonds, 284

Pyrazol
Structural and dynamic studies in solution of anionic dinuclear azolato-bridged palladium(II) complexes, 108

Rhodium
New optically active 'constrained-geometry' cyclopentadienylphosphine ligands and their metal complexes, 183

Rhodium complexes
Proton induced coupling reactions in dinuclear σ-alkynyl-μ-methylene-rhodium complexes, 145

Ring-opening polymerisation
Synthesis, structure and catalytic activity of new iminophenolato complexes of scandium and yttrium, 63

ROMP
Allenylidene-ruthenium-arene precatalyst for ring opening metathesis polymerisation (ROMP), 235

Ru organometallics
Mass spectrometry of polystyrene and polypropene ruthenium complexes. A new tool for polymer characterization, 213

Ruthenium
Carbonyl substitution chemistry of neutral and cationic triruthenium cluster complexes derived from 1,1-dimethylhydrazine. Incorporation of two and three phosphane ligands, 227
Ruthenium hydrides bearing $SbPh_3$ and $AsPh_3$ ligands: characterization of the bis(dihydrogen) complexes $[Cp^*Ru(H_2)_2(EPh_3)]^+$ ($Cp^* = C_5Me_5$; E = Sb, As), 151

Ruthenium catalyst
Allenylidene-ruthenium-arene precatalyst for ring opening metathesis polymerisation (ROMP), 235

Ruthenium clusters
Carbonyl substitution chemistry of neutral and cationic triruthenium cluster complexes derived from 1,1-dimethylhydrazine. Incorporation of two and three phosphane ligands, 227

Ruthenium complexes
A study of the coordination ability of 2,5-di(2-pyridyl)phospholes on Ru centres, 118

Ruthenium(II)
New ruthenium(II) complexes containing the chiral ligand (4*S*)-2-[(*S*$_p$)-2-(diphenylphosphino)ferrocenyl]-4-(methylethyl)oxazoline (FcPN). X-ray structures of *mer*–*trans*-$[RuCl_2(dppm)(FcPN)]$ (dppm = bis(diphenylphosphino)methane) and *cis*-$[RuCl_2(CO)(py)(FcPN)]$, 204

Ruthenium neutral complexes
Reaction of $Cp^*RuCl(PPh_3)_2$ with dioxygen and formation of a neutral complex $Cp^*RuCl(O_2)(PPh_3)$, 127

Scandium
Synthesis, structure and catalytic activity of new iminophenolato complexes of scandium and yttrium, 63

Siloxanes
Preparation of Ti(IV), Zr(IV) and Sn(IV) metal alkyls containing the $(Pr^iO)_3SiCH_2$ fragment, 256

Silver
Four- five- and six-co-ordinated pentafluorophenylthallium(III) complexes. Crystal structures of $[Tl(C_6F_5)_3(OPPh_3)]$, $[Tl(C_6F_5)_2Cl(OPPh_3)]_2$ and $[Tl(C_6F_5)_2(OdppmO)_2][Tl(C_6F_5)_2Cl_2]$, 289

Silyl substituents
Synthesis and crystal structures of thermally stable titanocenes, 134

Stibine
Ruthenium hydrides bearing $SbPh_3$ and $AsPh_3$ ligands: characterization of the bis(dihydrogen) complexes $[Cp^*Ru(H_2)_2(EPh_3)]^+$ ($Cp^* = C_5Me_5$; E = Sb, As), 151

s-trans Coordination
Adaptable coordination modes of conjugated 1,3-diene: uniqueness of *s-trans* coordination, 5

Termination
Why propene is not polymerized by $(Cp^*_2YH)_2$: reactions of yttrium alkyl complexes with alkenes produce allyl and vinyl yttrium complexes, 91

Thallium
Four- five- and six-co-ordinated pentafluorophenylthallium(III) complexes. Crystal structures of $[Tl(C_6F_5)_3(OPPh_3)]$, $[Tl(C_6F_5)_2Cl(OPPh_3)]_2$ and $[Tl(C_6F_5)_2(OdppmO)_2][Tl(C_6F_5)_2Cl_2]$, 289

Thiolates
Synthesis of Group 10 polyfluorothiolate mono- and bi-nuclear complexes. Crystal structures of $[Ni(SC_6HF_4)_2(dppe)]$, $[(dppe)Ni(\mu\text{-}SC_6HF_4)_2Pd(C_6F_5)_2]$ and $[(dppe)Ni(\mu\text{-}SC_6F_5)_2Pd(C_6F_5)_2]$, 98

Through-space coupling
Structural and dynamic studies in solution of anionic dinuclear azolato-bridged palladium(II) complexes, 108

Tin alkyls
Preparation of Ti(IV), Zr(IV) and Sn(IV) metal alkyls containing the $(Pr^iO)_3SiCH_2$ fragment, 256

Tin organyls
Mechanisms of Sn-to-Zr cyclopentadienyl transfer in the formation of Me_2Si-bridged zirconocenes from sila-stanna-tetrahydro-*s*-indacenes, 58

Titanium
Dialkyl titanium complexes that contain a sulfur-linked bis(phe-

nolato) ligand: The structure of an olefin polymerization catalyst precursor, 158
Hydrazonide titanium derivatives: Synthesis, characterization and catalytic activity in olefin polymerization. Molecular structure of $[Ti(\eta^5\text{-}C_5H_4SiMe_3)Cl(\mu\text{-}N_2CPh_2)]_2$, 173
Synthesis and crystal structures of thermally stable titanocenes, 134
Titanium alkyls
Preparation of Ti(IV), Zr(IV) and Sn(IV) metal alkyls containing the $(Pr^iO)_3SiCH_2$ fragment, 256
Titanocenes
Synthesis and crystal structures of thermally stable titanocenes, 134
Transmetalation
Mechanisms of Sn-to-Zr cyclopentadienyl transfer in the formation of Me_2Si-bridged zirconocenes from sila-stanna-tetrahydro-s-indacenes, 58
Transphobia
Mono- and di-nuclear complexes of *ortho*-palladated and -platinated 4,4′-dimethylazobenzene with bis(diphenylphosphino)methane. More data on *transphobia*, 164
Tungsten
Theoretical analysis of bis(ethylene) complexes of molybdenum and tungsten, 83

Vinyl complex
Why propene is not polymerized by $(Cp^*_2YH)_2$: reactions of yttrium alkyl complexes with alkenes produce allyl and vinyl yttrium complexes, 91

X-ray crystallography
C–Br versus C–H bond activation in palladium(II) cyclopalladated compounds. Crystal and molecular structure of [Pd{$C_6H_4C(H)$=NCy}(MeCOCHCOMe)], 239
Synthesis and crystal structures of thermally stable titanocenes, 134
X-ray crystal structure analyses
Structural characterization of Group 4 transition metal halide bis-Arduengo carbene complexes MCl_4L_2: X-ray crystal structure analyses and DFT calculations, 192
X-ray structures
Synthesis and structures of crystalline bis(trimethylsilyl)methanido complexes of potassium, calcium and ytterbium, 263

Ytterbium(II)
Synthesis and structures of crystalline bis(trimethylsilyl)methanido complexes of potassium, calcium and ytterbium, 263
Yttrium
Synthesis, structure and catalytic activity of new iminophenolato complexes of scandium and yttrium, 63

Zirconacyclopentanes
Zirconocene mediated cyclization and isomerization of 1,3,6-heptatriene, 13
Zirconium alkyls
Preparation of Ti(IV), Zr(IV) and Sn(IV) metal alkyls containing the $(Pr^iO)_3SiCH_2$ fragment, 256